

SURVEILLANCE REPORT

Legionellosis in Ontario: January 1 to December 3, 2025

Published: December 2025

Note: This report concludes the current bi-weekly reporting cycle. PHO appreciates your attention to these updates and will continue to monitor legionellosis trends in Ontario.

Introduction

This report summarizes the epidemiology of laboratory confirmed cases of legionellosis in Ontario with a focus on cases occurring in 2025 and comparisons to trends in recent years.

Legionella are bacteria found in natural water environments and can grow in human-made water systems, such as plumbing, cooling towers, hot tubs, showers and decorative fountains. Individuals can become infected with *Legionella* by breathing in small droplets or vapour of contaminated water. Legionellosis is a spectrum of illness caused by *Legionella* infection, ranging from mild flu-like illness (Pontiac fever) to severe lung infection/pneumonia (Legionnaires' disease) that can result in hospitalization and death.

Legionellosis is a disease of public health significance under [Ontario Regulation 135/18 of the Health Protection and Promotion Act](#).¹ For additional information regarding legionellosis, including the provincial case definition, visit the [Ontario Ministry of Health Appendix 1: Case Definitions and Disease Specific Information Disease: Legionellosis](#), the [Public Health Ontario \(PHO\) webpage for Legionellosis](#), and the [Ontario Ministry of Health Legionella Investigation Reference Document](#).²⁻⁴

Key Messages

- *Legionella* bacteria are ubiquitous in the environment and most legionellosis cases reported in the province are sporadic and not linked to an identified outbreak.
- There have been 354 cases of legionellosis in Ontario with episode dates between January 1 and December 3, 2025.
 - In 2025, the monthly rate of legionellosis cases was highest in June and August, after which a sustained decline was observed. The increase in cases was largely driven by an outbreak reported by Middlesex-London Health Unit (MLHU).
- There have been 109 cases of legionellosis in MLHU with episode dates between January 1 and December 3, 2025. These cases represent 30.8% (109/354) of all cases in Ontario with episode dates during this period.


- Of the 109 legionellosis cases in MLHU, 107 (98.2%) were recorded as being related to the outbreak.
- MLHU experienced a *Legionella* outbreak in 2024.⁵
- This report contains some comparisons of trends in legionellosis cases for MLHU compared to the rest of Ontario. For the most up to date information on the outbreak, refer to MLHU's [website](#).⁶

Highlights

- As in previous years, cases of legionellosis in Ontario in 2025 peaked in the summer (June through August 2025) with elevated cases continuing into the fall. There were 76 cases with an episode date in June, 40 cases in July, and 66 cases in August. Cases have been decreasing since ([Figure 1](#)).
- Of all cases between June and August, 55.5% (101/182) occurred in MLHU.
- Case counts for MLHU were lower in July but higher in June and August 2025 compared to the same months in 2024. There were 4 cases with episode dates between September and November 2025, compared to 5 cases in the same months in 2024 ([Figure 2](#)).
- As with previous years, the highest rates of legionellosis in Ontario in 2025 have occurred among males and older adults ([Table 1](#)).
- Legionellosis rates varied by public health unit (PHU), with the highest rate to date in 2025 observed in MLHU with 17.9 cases per 100,000 population ([Figure 3](#)).
- In 2025, the proportion of positive tests among all *Legionella* tests conducted by PHO (percent positivity) increased at the end of June, peaking at approximately 10% at the start of July. After a decline in late July, percent positivity increased again in August up to 6%, before declining again and fluctuating at lower levels. Percent positivity has been averaging approximately 1% over the past four weeks ([Figure 4](#)).
- Legionellosis case severity is presented in Table 2 and interpretation of the data should consider the possible impact of delays in reporting and that data for 2025 are only for a partial year. The proportion of legionellosis cases to-date in 2025:
 - With hospitalization reported is 75.7%, which is lower than the annual average for the period from 2020 to 2024 (76.2%).
 - Resulting in a fatal outcome is 7.3%, which is higher than the annual average for the period from 2020 to 2024 (6.5%) ([Table 2](#)).

Trends


Figure 1: Confirmed Legionellosis Case Counts and Rates per 100,000 Population in Ontario: Year 2025* Compared to Average Rate for 2020 - 2024, by Month



Data Source: Cases: Public Health Information System (iPHIS) [database] [extracted 2025 Dec 3]. Population denominators: Statistics Canada and Ontario Ministry of Finance.

*2025 includes data from January 1 to December 3 only.

Figure 2: Confirmed Legionellosis Case Counts in Middlesex-London Health Unit: Year 2025* Compared to 2024, by Month



Data Source: Integrated Public Health Information System (iPHIS) [database] [extracted 2025 Dec 3].
*2025 includes data from January 1 to December 3 only.

Table 1: Confirmed Legionellosis Case Counts and Rates per 100,000 Population in Ontario, by Sex* and Age: Year 2025 Compared to the Average of the Previous Five Years (2020 - 2024)**

Sex and Age Group (years)	Total Number of Cases Between January 1 to December 3, 2025	Rate per 100,000 Population Between January 1 to December 3, 2025	Average Number of Cases Annually Between January 1, 2020 to December 31, 2024	Average Annual Rate per 100,000 Population Between January 1, 2020 to December 31, 2024
Female	121	1.5	113.8	1.5
Male	232	2.8	237.8	3.1
Did not specify	1	N/A	0.0	N/A
0 – 19	0	0.0	1.0	0.0
20 – 39	24	0.5	16.4	0.4
40 – 59	92	2.3	105.0	2.7
60 – 79	185	5.5	184.4	6.0
≥80	53	7.0	44.6	6.5
Unknown	0	N/A	0.2	N/A
Total	354	2.2	351.6	2.3


Data Source: Cases: Integrated Public Health Information System (iPHIS) [database] [extracted 2025 Dec 3].

Population denominators: Statistics Canada and Ontario Ministry of Finance.

*This report uses the terminology sex to reference the reported values for the gender field in iPHIS. Three values for sex are derived from the data entered in iPHIS: Male, Female, and Did Not Specify Male or Female; information from all three is combined when presenting total counts or rates.

**2025 includes data from January 1 to December 3 only.


Figure 3: Rate of Confirmed Legionellosis Cases from January 1 to December 3, 2025 in Ontario, by Public Health Unit



Data Source: Cases: Integrated Public Health Information System (iPHIS) [database] [extracted 2025 Dec 3].
Population denominators: Statistics Canada and Ontario Ministry of Finance.

Testing

Figure 4: Number of Individuals Tested for *Legionella* and Percent Positivity in Ontario, by Week, 2025*



Data Source: PHO Laboratory Information Management System

Note: Testing for the most recent week is not complete due to pending results. Includes all *Legionella* testing methods conducted by Public Health Ontario's laboratory. An individual is considered positive if a specimen was positive by any validated test method. Week was assigned based on the date the specimen was received at Public Health Ontario's laboratory; start dates of each week are presented on the x-axis.

*The first week contains data from December 29-31, 2024.

Severity

Table 2: Hospitalizations and Deaths among Confirmed Legionellosis Cases in Ontario, by Sex* and Age: Year 2025 Compared to the Average of the Previous Five Years (2020 - 2024)**

Sex and Age Group (years)	Number (%) of Cases Hospitalized Between January 1 to December 3, 2025	Average Number (%) of Cases Hospitalized per Year Between January 1, 2020 to December 31, 2024	Number (%) of Cases with a Fatal Outcome Between January 1 to December 3, 2025	Average Number (%) of Cases with a Fatal Outcome per Year Between January 1, 2020 to December 31, 2024
Female	90/121 (74.4)	86.0/113.8 (75.6)	9/121 (7.4)	6.8/113.8 (6.0)
Male	177/232 (76.3)	182.0/237.8 (76.5)	17/232 (7.3)	16/237.8 (6.7)
Did not specify	1/1 (100.0)	0/0 (0.0)	0/1 (0.0)	0/0 (0.0)
0 – 19	0/0 (0.0)	0.8/1 (80.0)	0/0 (0.0)	0/1 (0.0)
20 – 39	18/24 (75.0)	11.6/16.4 (70.7)	0/24 (0.0)	0.6/16.4 (3.7)
40 – 59	72/92 (78.3)	79/105 (75.2)	3/92 (3.3)	2.6/105 (2.5)
60 – 79	139/185 (75.1)	141.8/184.4 (76.9)	13/185 (7.0)	14.6/184.4 (7.9)
≥80	39/53 (73.6)	34.8/44.6 (78.0)	10/53 (18.9)	5/44.6 (11.2)
Unknown	0/0 (0.0)	0/0.2 (0.0)	0/0 (0.0)	0/0.2 (0.0)
Total	268/354 (75.7)	268/351.6 (76.2)	26/354 (7.3)	22.8/351.6 (6.5)

Data Source: Ontario. Ministry of Health. Integrated Public Health Information System (iPHIS) [database] [extracted 2025 Dec 3].

*This report uses the terminology sex to reference the reported values for the gender field in iPHIS. Three values for sex are derived from the data entered in iPHIS: Male, Female, and Did Not Specify Male or Female; information from all three is combined when presenting total counts or rates.

**2025 includes data from January 1 to December 3 only.

Technical Notes

Data Sources

- The data for this report were based on information entered in the Ontario Ministry of Health (MOH) integrated Public Health Information System (iPHIS) database **as of 9 a.m., December 3, 2025.**
- Testing and percent positivity data was obtained from PHO's Laboratory Information Management System **as of December 3, 2025.**
- Population estimates used to calculate rates for cases were calculated using the Ontario 2020 to 2024 population estimates⁷, sourced from Statistics Canada, and the Ontario 2025 population projections⁸, sourced from the Ontario Ministry of Finance.

Data Caveats for iPHIS

- iPHIS is a dynamic disease reporting system that allows ongoing updates to previously entered data. As a result, data extracted from iPHIS represent a snapshot at the time of extraction and may differ from previous or subsequent reports.
- These data only represent laboratory-confirmed cases of legionellosis reported to public health and recorded in iPHIS. As a result, all case counts are subject to varying degrees of underreporting due to a variety of factors, such as disease awareness and medical care seeking behaviours, that may depend on severity of illness, clinical practices, and changes in laboratory testing and reporting behaviours.
- Only legionellosis cases meeting the confirmed case classification as listed in the Ontario Ministry of Health (MOH) surveillance case definitions are included in the reported case counts.
 - Provincial surveillance case definitions available online under the [Infectious Diseases Protocol](#)² are the most current.
 - Changes to provincial surveillance case definitions and disease classifications have occurred over the years and thus may impact the analysis of trends over time. Cases are classified in iPHIS based on the Ontario MOH surveillance case definitions in use at the time the case was identified.
 - PHO's technical report "[Factors Affecting Case Definition Changes in Ontario 1991-2016](#)"⁹ provides more detailed information on this topic.
- Cases are reported based on the Episode Date, which is an estimate of the onset date of disease for a case. In order to determine this date, the following hierarchy exists in iPHIS: Onset Date > Specimen Collection Date > Lab Test Date > Reported Date.
 - For example: If an Onset Date exists, it will be used as the Episode Date. If Onset Date is not available, then the next available date in the hierarchy (i.e., Specimen Collection Date) will be used, and so on.
- Duplicate case records may be included if they were not identified and resolved at either the local or provincial level prior to data extraction from iPHIS.
- Public Health Ontario conducts the majority of Legionella testing in the province.
- Interpretation of severity data for 2025 should consider the possible impacts of lags in reporting:
 - Hospitalized legionellosis cases were determined based on a reported intervention type description of "Hospitalization" or "ICU" and a reported intervention start date on or after the case's episode date.
 - Fatal legionellosis cases were determined based on a case outcome description of "Fatal" and the type of death not being reported as "Reportable disease was unrelated to cause of death."
- Cases for which the Diagnosing Health Unit (DHU) was reported as MOHLTC (to signify a case that is not a resident of Ontario) were excluded from this analysis.

References

1. *Designation of Diseases*, O Reg 135/18. Available from: <https://www.ontario.ca/laws/regulation/180135>
2. Ontario. Ministry of Health. Ontario public health standards: requirements for programs, services and accountability. Infectious disease protocol. Appendix 1: case definitions and disease-specific information. Disease: Legionellosis. Effective: May 2022 [Internet]. Toronto, ON: King's Printer for Ontario; 2022 [cited 2025 Jul 16]. Available from: <https://www.ontario.ca/files/2025-01/moh-ophs-legionellosis-en-2022-05-01.pdf>
3. Ontario Agency for Health Protection and Promotion (Public Health Ontario). Legionellosis (*Legionella*, Legionnaires Disease) [Internet]. Toronto, ON: King's Printer for Ontario; 2024 [updated 2024 Dec 13; cited 2025 Jul 16]. Available from: <https://www.publichealthontario.ca/en/Diseases-and-Conditions/Infectious-Diseases/Respiratory-Diseases/Legionellosis>
4. Ontario. Ministry of Health. *Legionella* Investigation Reference Document [Internet]. Toronto, ON: King's Printer for Ontario; 2025 [cited 2025 Jul 16]. Available from: <https://www.ontario.ca/files/2025-01/moh-ophs-legionellosis-en-2025-01-06.pdf>
5. Middlesex-London Health Unit. Middlesex-London Health Unit Declares End of *Legionella* Outbreak. Middlesex-London Health Unit News [Internet]. 2024 Oct 11 [cited 2025 Jul 16]. Available from: <https://www.healthunit.com/news/Legionella-outbreak-over>
6. Middlesex-London Health Unit. Confirmed Legionnaires Disease Cases in the Middlesex-London Region [Internet]. [cited 2025 Jul 16]. Available from: <https://www.healthunit.com/confirmed-legionnaires-disease-cases>
7. Statistics Canada. Table 17-10-0157-01: Population estimates, July 1, by health region and peer group, 2023 boundaries [Internet]. Ottawa, ON: Government of Canada; 2025 Feb 19 [extracted 2025 Feb 21]. Available from: <https://doi.org/10.25318/1710015701-eng>
8. Population Reporting. Population projections public health unit, 2024-2051 [data file]. Toronto ON: Ministry of Finance [producer]; Toronto, ON: Ontario. Ministry of Health, IntelliHealth Ontario [distributor]; [data extracted 2025 Sep 12]
9. Ontario Agency for Health Protection and Promotion (Public Health Ontario). Appendix: factors affecting case definition changes in Ontario, 1991-2016 [Internet]. Toronto, ON: King's Printer for Ontario; 2018 [cited 2025 Feb 13]. Available from: https://www.publichealthontario.ca/-/media/Documents/A/2018/appendix-factors-reportable-diseases-ontario-1991-2016.pdf?rev=b261bd175c184250a8e22df0f1866902&sc_lang=en

Citation

Ontario Agency for Health Protection and Promotion (Public Health Ontario). Surveillance report: legionellosis in Ontario: January 1, 2025 to December 3, 2025. Toronto, ON: King's Printer for Ontario; 2025.

Disclaimer

This document was developed by Public Health Ontario (PHO). PHO provides scientific and technical advice to Ontario's government, public health organizations and health care providers. PHO's work is guided by the current best available evidence at the time of publication. The application and use of this document is the responsibility of the user. PHO assumes no liability resulting from any such application or use. This document may be reproduced without permission for non-commercial purposes only and provided that appropriate credit is given to PHO. No changes and/or modifications may be made to this document without express written permission from PHO.

Public Health Ontario

Public Health Ontario is an agency of the Government of Ontario dedicated to protecting and promoting the health of all Ontarians and reducing inequities in health. Public Health Ontario links public health practitioners, front-line health workers and researchers to the best scientific intelligence and knowledge from around the world.

For more information about PHO, visit publichealthontario.ca.