

ARCHIVED DOCUMENT

This archived content is being made available for historical research and reference purposes only. The content is no longer being updated and it may not reflect current evidence or guidance.

Coronavirus Disease 2019 (COVID-19)

**(ARCHIVED) Droplet and Contact
Precautions Acute Care Facilities**


This document was adapted from Public Health Ontario's **Routine Practices Additional Precautions** for management of COVID-19 for health care workers. For more information, please contact the Infection Prevention and Control department at Public Health Ontario at ipac@oahpp.ca.

Hand Hygiene

- Before and after each patient contact.
- Before performing aseptic procedures.
- Before preparing, handling, serving or eating food.
- After care involving body fluids and before moving to another activity.
- Before putting on and after taking off gloves and other PPE.
- Before and after personal body functions (e.g., blowing one's nose).
- Whenever hands come into contact with secretions, excretions, blood and body fluids.
- After contact with items in the patient's environment.
- Whenever there is doubt about the necessity for doing so.

**Patient Placement**

- Single room with own toileting facilities.
- Whenever possible, for aerosol-generating medical procedures (AGMPs), perform the procedure in an Airborne Infection Isolation Room (AIIR) with the door closed.
- If an AIIR is not available a single room, with the door closed, may be used to perform an AGMP.

**Environment and Equipment**

- Dedicate routine equipment to the patient (e.g., stethoscope, thermometer).
- Clean and disinfect all equipment that comes out of the room.
- All high-touch surfaces in the patient's room must be cleaned daily.



Personal Protective Equipment (PPE)

- Wear a fit-tested, seal-checked N95 respirator, gown, gloves, and eye protection (face shield, goggles and some safety glasses) when providing direct care. Other appropriate PPE includes a well-fitted medical mask based on a point-of-care risk assessment.
- **For AGMPs**, wear a fit-tested, seal-checked N95 respirator.
- **Wearing gloves is NOT a substitute for hand hygiene**



Upon leaving the room or patient environment:

- Remove gloves and gown and perform hand hygiene.
- Remove eye protection and N95 respirator or medical mask and perform hand hygiene.

For more information see Public Health Ontario's [Recommended Steps for Putting on and Taking off PPE](#).


Patient Transport

- Avoid any unnecessary transport of patient outside of room.
- Patient to wear a medical mask during transport, if tolerated.
- Transport staff should wear a fit-tested, seal-checked N95 respirator (well-fitted medical mask as an alternative) and eye protection within 2 metres of the patient.
- Transport staff should consult with the facility IPAC designate for additional instructions.
- Clean and disinfect equipment used for transportation after use.



Visitors

- Visitors must perform hand hygiene before entry and upon leaving the room.
- Visitors to wear a mask, eye protection, gown and gloves when entering the room of a patient with COVID-19.
- Visitors to remove protective apparel and clean their hands upon leaving the room.



The information in this document is current as of October 2022.
Archived: December 2023