

First Revision: July 2019

AT A GLANCE

Examples of Reusable Equipment and Instruments

This document is an excerpt from the <u>Guide to Infection Prevention and Control in Personal Service Settings</u>. It outlines equipment/instruments commonly found in personal service settings and classifies them based on the intended and actual use of the equipment/instruments. For more information, please consult the full Guide, visit the <u>IPAC in Personal Service Settings</u> <u>webpage</u> or email <u>ipac@oahpp.ca</u>.

Personal Service	Critical	Semi-critical	Non-critical, Intermediate-Level Disinfection	Non-critical, Low-Level Disinfection
Body modification and suspension (e.g., scarification, branding, ear shaping, implants)	 Dermal anchor tools Dermal drivers/ anchors Forceps Retractors Reusable clamps Reusable scalpel handles Skin elevators Strike branding metal strips Suspension hooks 	 Any equipment, instrument or item used to hold a sterile strike branding metal strip or electrocautery/cautery tip Suspension rig 		 See chapter 3, Managing the Environment, for tables, chairs, beds Rigid containers used to hold dirty equipment until reprocessing (at end of day) Service trays[‡]

Personal Service	Critical	Semi-critical	Non-critical, Intermediate-Level Disinfection	Non-critical, Low-Level Disinfection
Body piercing	 All forceps and clamps All jewellery used for initial piercing and jewellery purchased in bulk All tapers Open-ended receiving tubes Ring-opening and ring-closing pliers 	 Needle pushers Scissors used to cut cannulas (insertion tubes) 	 All calipers Jewellery (when replacing piercing jewellery on completely healed piercings) 	 See chapter 3, Managing the Environment, for tables, chairs, beds Rigid containers used to hold dirty equipment until reprocessing (at end of day) Service trays[‡]
Earlobe piercing	Jewellery for initial piercings		Mechanical earlobe- piercing device that holds a single-use, disposable sterile cartridge (systems that use stud adaptor and clasp retainer are not recommended but if used, stud holder and clasp retainer are to be sterile, single-use, disposable)	 See chapter 3, Managing the Environment, for tables, chairs, beds Rigid containers used to hold dirty equipment until reprocessing (at end of day) Service trays[‡]

Personal Service	Critical	Semi-critical	Non-critical, Intermediate-Level Disinfection	Non-critical, Low-Level Disinfection
Electrolysis and hair removal (waxing and laser)		 Any equipment, instrument or item used to hold, manipulate or contact a sterile needle Needle/probe holder or permanent attached pin device Removable tip/cap (single-use or high-level disinfection after each use) Tweezers used to expose ingrown hairs 	 Laser heads, tips and wands Scissors used to cut hair^{††} Tweezers used to remove hair from the hair follicle UV eye goggles for multiple-client use 	 See chapter 3, Managing the Environment, for tables, chairs, beds Containers used to hold sterile packaged tweezers or other sterile equipment or instruments Electrolysis electrodes and sponge covers (if used) Epilator foot-operating switches and cords Epilator cord and control panel that comes in contact with client's skin or is handled by worker[‡] Laser exterior power switches/touch screen/cables[‡] Magnifying glass and arm/reusable magnifying goggles handled by worker Rigid containers used to hold dirty equipment until reprocessing (at end of day) Scissors used to cut hair Scissors used to cut single-use wax strips Service trays[‡]

Personal Service	Critical	Semi-critical	Non-critical, Intermediate-Level Disinfection	Non-critical, Low-Level Disinfection
Hairdressing and barbering			 Crochet hooks used for cap highlights^{‡†} Hair clipper blades^{‡†} Hair scissors^{‡†} 	 See chapter 3, Managing the Environment, for tables, chairs, beds Colour mixing bowls (if reusable) Combs, brushes Crochet hooks used for cap highlights Disinfectant containers holding instruments Hair clipper blades Hair clipper guards and shaver guards Hair rollers, clips and caps Hair scissors Handles for hairstyling razors Handles and cradles for shaving razor used on skin

Personal Service	Critical	Semi-critical	Non-critical, Intermediate-Level Disinfection	Non-critical, Low-Level Disinfection
Manicure, pedicure and nail treatments		Grater-style foot files	 Acrylic tip cutter Cuticle scissors, nippers, pushers, scrapers and cutters Diamond drill bit for acrylic nails Foot files with removable adhesive/abrasive stickers or metal foot files Metal, diamond or glass nail files Nail-cleaner scoops Nail clippers Recirculating foot tub or footbath Reusable metal dremel bit 	 See chapter 3, Managing the Environment, for tables, chairs, beds Callus blade (credo blade) holders Dremel handle Flip flops or slippers for multiple-client use (may be laundered if applicable: i.e., cloth slippers, not foam slippers) Manicure bowls and trays Nail-drying stations, tables Tweezers for applying nail art UV and LED curing light

Personal Service	Critical	Semi-critical	Non-critical, Intermediate-Level Disinfection	Non-critical, Low-Level Disinfection
Tattooing and micropigmentation	 Reusable ink caps (e.g., metal ink caps) Tattoo grips, tubes and tips 			 See chapter 3, Managing the Environment, for tables, chairs, beds Clip cord[‡] Contact screws[‡] Rigid containers used to hold dirty equipment until reprocessing (at end of day) Scissors used to cut bandages Service trays[‡] Spray bottles[‡] Tattoo machine and controls[‡] Tube clamp[‡]
Other personal services (e.g., makeup, facials, tinting, eyelash extensions, colonics, floatation)		 Equipment used for facials that contacts non-intact skin (e.g., acne treatments, microdermabrasion) Microblade handles Microneedle roller handles 	 Equipment used for facials that contacts intact skin Tweezers to apply fake lashes 	 See chapter 3, Managing the Environment, for tables, chairs, beds Facial steamer machine and reservoir

[†] If covered with a sheath/cover during use; if not, reprocess as a Non-critical, Intermediate-Level Disinfection item as long as it can be easily or adequately cleaned and disinfected between each use.

This increased level of disinfection is required if instruments nick the skin

Citation

Ontario Agency for Health Protection and Promotion (Public Health Ontario). At a glance: examples of reusable equipment and instruments by personal service. 1st revision, July 2019. Toronto, ON: Queen's Printer for Ontario; 2019.

©Queen's Printer for Ontario, 2019

Disclaimer

This document was developed by Public Health Ontario (PHO). PHO provides scientific and technical advice to Ontario's government, public health organizations and health care providers. PHO's work is guided by the current best available evidence at the time of publication.

The application and use of this document is the responsibility of the user. PHO assumes no liability resulting from any such application or use.

This document may be reproduced without permission for non-commercial purposes only and provided that appropriate credit is given to PHO. No changes and/or modifications may be made to this document without express written permission from PHO.

Publication history:

Published: November 2018

1st Revision: July 2019

Note: To see the list of revisions, please refer to <u>Guide to Infection Prevention and Control in Personal Service Settings</u>.

